

# CONSUMABLES CATALOG



*Tregaskiss*


THE FREEDOM TO INNOVATE

# TABLE OF CONTENTS


- TREGASKISS™ NOZZLES** ..... 3
- TOUGH LOCK™ CONSUMABLE SYSTEM** ..... 4  
TOUGH LOCK Contact Tips | TOUGH LOCK Retaining Heads and Diffusers | TOUGH LOCK Teach Tips
- SPECIALTY TOUGH LOCK CONSUMABLES** ..... 6  
SURESTART™ Contact Tips | TOUGH ACCESS Consumables | TOUGH LOCK Conversion Series
- QUICK LOAD™ LINERS** ..... 8
- TREGASKISS COMMON CONSUMABLE REFERENCE CHART** ..... 11

Tregaskiss has designed its long lasting Tregaskiss Consumables for maximum flexibility and compatibility between consumable parts and across various gun models. For our customers, the Common Consumable Platform means less consumable inventory is needed to maximize flexibility and productivity across a variety of MIG welding applications.

In many cases, the same nozzles, TOUGH LOCK Contact Tips, and QUICK LOAD Liners can be used in Tregaskiss Semi-Automatic and robotic welding applications. The benefits of the TOUGH LOCK Consumable System can also be extended to competitive brands of MIG guns with the TOUGH LOCK Conversion Series. This cross compatibility is what Tregaskiss refers to as the Common Consumable Platform.



# TREGASKISS NOZZLES



Tregaskiss™ Nozzles for MIG welding guns are engineered to be extremely durable and long-lasting. Made of hard-drawn copper or brass, the smooth surface finish and rounded edges minimize weld spatter build-up.

Below is a list of the most commonly used Tregaskiss Nozzles. If the nozzle you require is not in this list, please contact Tregaskiss to learn about additional nozzle options.

**WEBSITE QUICK LINK:**  
Tregaskiss.com/nozzles

TREGASKISS SLIP-ON NOZZLES									
PART NUMBER	NOZZLE TYPE	BORE	TYPE	MATERIAL	O.D.	LENGTH	TIP LOCATION	QTY	
401-6-50	HEAVY DUTY	1/2"	C	COPPER	1.062"	2.88"	1/8" TIP RECESS	10	
401-48-62	HEAVY DUTY	5/8"	A	COPPER	1.062"	2.76"	FLUSH	10	
401-5-62	HEAVY DUTY	5/8"	C	COPPER	1.062"	3.00"	1/4" TIP RECESS	10	
401-6-62	HEAVY DUTY	5/8"	C	COPPER	1.062"	2.88"	1/8" TIP RECESS	10	
401-71-62	HEAVY DUTY	5/8"	C	BRASS	1.106"	2.88"	1/8" TIP RECESS	10	
401-7-62	HEAVY DUTY	5/8"	C	BRASS	1.106"	3.00"	1/4" TIP RECESS	10	
401-81-62	HEAVY DUTY	5/8"	C	COPPER	1.062"	2.63"	1/8" TIP STICK OUT	10	
401-87-62	HEAVY DUTY	5/8"	C	BRASS	1.062"	2.63"	1/8" TIP STICK OUT	10	
401-5-75	HEAVY DUTY	3/4"	C	COPPER	1.062"	3.00"	1/4" TIP RECESS	10	
401-6-75	HEAVY DUTY	3/4"	C	COPPER	1.062"	2.88"	1/8" TIP RECESS	10	
401-7-75	HEAVY DUTY	3/4"	C	BRASS	1.106"	2.88"	1/8" TIP RECESS	10	
401-42-50	STANDARD DUTY	1/2"	A	BRASS	.938"	2.88"	1/8" TIP RECESS	10	
401-4-50	STANDARD DUTY	1/2"	C	COPPER	.938"	2.88"	1/8" TIP RECESS	10	
401-44-50	STANDARD DUTY	1/2"	A	BRASS	.938"	2.50"	1/4" TIP STICK OUT	10	
401-48-50	STANDARD DUTY	1/2"	A	BRASS	.938"	2.63"	1/8" TIP STICK OUT	10	
401-4-38	STANDARD DUTY	3/8"	B	COPPER	.938"	2.74"	FLUSH	10	
401-40-38	STANDARD DUTY	3/8"	B	BRASS	.980"	2.81"	1/16" TIP RECESS	10	
401-4-62	STANDARD DUTY	5/8"	C	COPPER	.938"	2.88"	1/8" TIP RECESS	10	
401-8-62	STANDARD DUTY	5/8"	C	COPPER	.938"	2.63"	1/8" TIP STICK OUT	10	
401-44-62	STANDARD DUTY	5/8"	C	COPPER	.938"	2.51"	1/4" TIP STICK OUT	10	
401-4-75	STANDARD DUTY	3/4"	D	COPPER	.938"	2.88"	1/8" TIP RECESS	10	
601-5-62	FOR 600 AMP SEMI-AUTO WATER-COOLED GUNS	5/8"	C	BRONZE	1.133"	3.13"	1/4" TIP RECESS	10	
601-5-75	FOR 600 AMP SEMI-AUTO WATER-COOLED GUNS	3/4"	C	BRONZE	1.133"	3.13"	1/4" TIP RECESS	10	
601-6-62	FOR 600 AMP SEMI-AUTO WATER-COOLED GUNS	5/8"	C	BRONZE	1.133"	3.00"	1/8" TIP RECESS	10	

TREGASKISS THREAD-ON NOZZLES									
PART NUMBER	NOZZLE TYPE	BORE	TYPE	MATERIAL	O.D.	LENGTH	TIP LOCATION	QTY	
401-41-62	HEAVY DUTY	5/8"	C	BRASS	1.062"	2.63"	1/8" TIP STICK OUT	10	
401-14-62	HEAVY DUTY	5/8"	C	COPPER	1.062"	2.88"	1/8" TIP RECESS	10	
401-52-62	HEAVY DUTY	5/8"	C	COPPER	1.062"	3.00"	1/4" TIP RECESS	10	
401-19-62	HEAVY DUTY	5/8"	C	BRASS	1.106"	3.00"	1/4" TIP RECESS	10	
401-41-75	HEAVY DUTY	3/4"	C	BRASS	1.106"	2.88"	1/8" TIP RECESS	10	
401-42-38	STANDARD DUTY	3/8"	B	COPPER	.938"	2.88"	1/8" TIP RECESS	10	
401-16-50	STANDARD DUTY	1/2"	A	COPPER	.938"	2.63"	1/8" TIP STICK OUT	10	
401-45-50	STANDARD DUTY	1/2"	C	COPPER	.938"	2.88"	1/8" TIP RECESS	10	
401-47-50	STANDARD DUTY	1/2"	A	COPPER	.938"	2.88"	1/8" TIP RECESS	10	
401-47-51	STANDARD DUTY	1/2"	A	COPPER	.938"	2.88"	1/8" TIP RECESS	10	
401-46-50	STANDARD DUTY	1/2"	C	COPPER	.938"	3.00"	1/4" TIP RECESS	10	
401-18-62	STANDARD DUTY	5/8"	C	COPPER	.938"	2.63"	1/8" TIP STICK OUT	10	
401-43-62	STANDARD DUTY	5/8"	C	COPPER	.938"	2.88"	1/8" TIP RECESS	10	
401-45-62	STANDARD DUTY	5/8"	C	COPPER	.938"	2.88"	1/8" TIP RECESS	10	
401-46-62	STANDARD DUTY	5/8"	C	COPPER	.938"	3.00"	1/4" TIP RECESS	10	

## TREGASKISS.COM

For immediate access to the most up-to-date information, visit us online!

- Build your TOUGH GUN Semi-Automatic Air-Cooled MIG Gun with our online configurator
- Locate your nearest authorized Tregaskiss distributor
- Download product literature and technical manuals in PDF format
- Purchase Tregaskiss gear at our new Company Store

Have a question?  
Email us at [info@tregaskiss.com](mailto:info@tregaskiss.com)



### NOZZLE TYPES:



# TOUGH LOCK CONSUMABLE SYSTEM

Achieve lower operating costs and increased uptime with the TOUGH LOCK Consumable System from Tregaskiss. This system features our innovative TOUGH LOCK Contact Tip and Retaining Head.

TOUGH LOCK Contact Tips are precision-machined using a process that tightly controls tip tolerances.

TOUGH LOCK Retaining Heads are manufactured with a tapered design at both ends that keep the consumables locked from tip to gooseneck for improved weld consistency and to maximize heat dissipation.

The TOUGH LOCK System with Dual Taper Technology keeps consumables running cooler for longer tip life and maximum performance.


## FEATURES & BENEFITS

- Locks your gun from contact tip to the gooseneck to prevent loosening due to vibration
- Locked consumables create more consistent welds
- Surface area contact between tightly locked consumables helps to maximize heat dissipation and tip life
- Easier contact tip removal and replacement when retaining head remains locked to the gooseneck
- Dual Taper Retaining Heads are available AT THE SAME COST as TOUGH LOCK Single Taper Retaining Heads

## WEBSITE QUICK LINK

Tregaskiss.com/toughlock

**STANDARD  
ON ALL  
TREGASKISS  
MIG GUNS**



## TOUGH LOCK CONTACT TIPS

WIRE SIZE	PART NUMBER				
	STANDARD DUTY	HEAVY DUTY	HEAVY DUTY TAPERED	HEAVY DUTY EXTENDED LIFE	EXTRA HEAVY DUTY
.023" (0.6 mm)	403-14-23	N/A	N/A	N/A	N/A
.030" (0.8 mm)	403-14-30	403-20-30	403-21-30	403-27-30	N/A
.035" (0.9 mm)	403-14-35	403-20-35	403-21-35	403-27-35	N/A
.040" (1.0 mm)	403-14-1.0	403-20-1.0	403-21-1.0	403-27-1.0	603-20-1.0
.045" (1.2 mm)	403-14-45	403-20-45	403-21-45	403-27-45	603-20-45
3/64" (1.2 mm)	N/A	403-20-364	N/A	403-27-364	603-20-364
.052" (1.3 mm)	N/A	403-20-52	N/A	403-27-52	603-20-52
.055" (1.4 mm)	N/A	403-20-1.4	N/A	N/A	603-20-1.4
1/16" (1.6 mm)	N/A	403-20-116	N/A	403-27-116	603-20-116
.070" (1.8 mm)	N/A	403-20-1.8	N/A	N/A	N/A
.078" (2.0 mm)	N/A	403-20-78	N/A	N/A	N/A
5/64" (2.0 mm)	N/A	403-20-564	N/A	N/A	603-20-564
3/32" (2.4 mm)	N/A	403-20-332	N/A	N/A	603-20-332
7/64" (2.8 mm)	N/A	N/A	N/A	N/A	603-20-764
1/8" (3.2 mm)	N/A	N/A	N/A	N/A	603-20-18

All part numbers in the charts above are for quantities of 100 unless otherwise noted.

To order in quantities of 25 please add (-25) to the end of the part number. **Example: Part Number 403-20-30-25** (25 Heavy Duty Contact Tips for .030" Wire Size)

To order Heavy Duty and Extended Life Contact Tips in quantities of 1000, add (-1000) to the end of the part number.

**Example: Part Number 403-27-364-1000** (1000 Heavy Duty Extended Life Contact Tips for 3/64" Wire Size)

## TEACH TIPS

PART NUMBER	DESCRIPTION	QTY
403-20-01	Adjustable Teach Tip	1
403-20-05	Teach Tip 1/2"	1
403-20-062	Teach Tip 5/8"	1
403-20-075	Teach Tip 3/4"	1
403-20-10mm	Teach Tip 10mm	1
403-20-15mm	Teach Tip 15mm	1

Teach tips are used for robotic programming.

## SEMI-AUTOMATIC AND ROBOTIC RETAINING HEADS

DESCRIPTION	DUAL TAPER PART NUMBER	REPLACES SINGLE TAPER PART NUMBER	QTY
Heavy Duty Retaining Head for Robotic Guns	404-32-02	N/A	2
	404-32-25	404-30-25	25
	404-32	404-30	100
	404-32-250	N/A	250
Heavy Duty Retaining Head for Semi-Auto Guns	404-26-02	404-20-02	2
	404-26-25	404-20-25	25
	404-26	404-20	100
	404-26-250	N/A	250
Standard Duty Retaining Head for Robotic or Semi-Auto Guns	404-18-25	404-14-25	25
	404-18	N/A	100
Diffuser for 600 amp Water-Cooled Guns	NA	404-38-25	25

## SEMI-AUTOMATIC AND ROBOTIC THREAD-ON RETAINING HEADS

DESCRIPTION	DUAL TAPER PART NUMBER	REPLACES SINGLE TAPER PART NUMBER	QTY
Heavy Duty Robotic Retaining Head for New Style Thread-On Nozzles	404-52-25	N/A	25
	N/A	404-51-25	25
Heavy Duty Semi-Automatic Retaining Head for New Style Thread-On Nozzles	404-53-25	N/A	25



# SPECIALTY TOUGH LOCK PRODUCTS

## SURESTART CONTACT TIPS

### REDUCE ARC START FAILURES BY UP TO 50%\*

When arc starts are critical, SURESTART Contact Tips help to reduce costly down time and improve your bottom line.

SURESTART™ Contact Tips were designed to reduce arc start failures that can lead to costly rework and downtime in robotic welding applications. According to field trials and R&D lab tests, SURESTART Contact Tips reduce arc start failures by up to 50% and prevent early, unexpected burn backs.

SURESTART Contact Tips are especially beneficial for applications with a high volume of tacking and short welds using solid wire in CV (Constant Voltage) welding modes.

Available in 20-count blister packages, this premium packaging offers excellent protection against welding environment contaminants and can be easily stocked in facility vending machines.



### FEATURES & BENEFITS

#### IMPROVED PERFORMANCE

- Reduce arc start failures by up to 50%\*
- Prevent early, unexpected burn backs
- Ideal for applications with a high volume of tacking and short welds using solid wire in CV mode
- Available for .030 to .052 inch wire sizes
- Compatible with TOUGH LOCK™ Retaining Heads

\*Results are based on customer field trials and Tregaskiss R&D lab tests.

#### WEBSITE QUICK LINK:

Tregaskiss.com/surestart

### SURESTART\* PART NUMBERS

WIRE SIZE	DESCRIPTION	PART NUMBER	QTY
0.030" (0.8 mm)	Standard Duty Tapered Contact Tips	403-23-30	20
0.030" (0.8 mm)	Heavy Duty Contact Tips	403-22-30	20
0.035" (0.9 mm)	Heavy Duty Contact Tips	403-22-35	20
0.040" (1.0 mm)	Heavy Duty Contact Tips	403-22-1.0	20
0.045" (1.2 mm)	Heavy Duty Contact Tips	403-22-45	20
3/64" (1.2 mm)	Heavy Duty Contact Tips	403-22-364	20
0.052" (1.3 mm)	Heavy Duty Contact Tips	403-22-52	20

## TOUGH LOCK CONVERSION SERIES

### REDUCE YOUR INVENTORY AND MINIMIZE DOWNTIME TODAY!

STREAMLINE your inventory by STANDARDIZING on a SINGLE Tregaskiss brand of high performance MIG welding consumables. Stocking as few as two new Tregaskiss parts may allow you to remove an entire brand of consumables from your inventory.

### FEATURES & BENEFITS

- Use one consumables line on all your MIG guns regardless of style
- Reduce your inventory
- Enjoy all the features and benefits of the TOUGH LOCK Consumable System

#### WEBSITE QUICK LINK:

Tregaskiss.com/conversion



### TOUGH LOCK CONVERSION SERIES PART NUMBERS FOR BINZEL, LINCOLN, AND TWECO STYLE MIG GUNS

GUN MANUFACTURER	GUN MODEL	GUN GOOSENECK	TOUGH LOCK HEAVY DUTY RETAINING HEAD	GOOSENECK INSULATOR	ADAPTOR	QUICK LOAD LINER RETAINER
Bernard	Q-Gun Series EZ Feed Series	N/A	404-44	402-14	N/A	N/A
Binzel	Alpha 4	N/A	404-46	402-11	N/A	N/A
Lincoln	Lincoln Magnum 300 Lincoln Magnum 400	KP1929 / KP1928 / KP1941	404-20	402-14	N/A	N/A
TWECO	TWECO #3	63J-60	404-20	402-14	N/A	415-37*
	TWECO #4	64J-60				
	Spray Master 350	MS63-60				
	Spray Master 450	MS64H-60				
	Weldskill 400	64A-60				
MINI MIG	N/A	N/A	402-19	404-64	N/A	

NOTE: The 404-20 TOUGH LOCK Retaining Head will fit on most goosenecks with an external 9/16"-18 thread, regardless of angle.  
\*Order the 415-37 QUICK LOAD Liner Retainer and use with QUICK LOAD Liners for wire sizes .030" through 5/64".  
Bernard is a trademark of Illinois Tool Works Inc. Lincoln is a trademark of The Lincoln Electric Company. Tweco is a trademark of Thermadyne Holdings Corporation. Binzel is a trademark of Alexander Binzel Schweisstechnik GmbH & Co. KG.

# TOUGH ACCESS CONSUMABLES

### WORRIED ABOUT FITTING IN?

TOUGH ACCESS Consumables from Tregaskiss are our sleekest line of consumables. They allow entry into those hard-to-reach places that would otherwise be inaccessible due to complex fixture or weldment design.

These unique consumables are compatible with our patented TOUGH LOCK™ Contact Tips and existing aluminum armored goosenecks.

### FEATURES & BENEFITS – NOZZLES

- Compatible with existing TOUGH GUN™ Goosenecks and TOUGH LOCK Contact Tips
- Sleek profile nozzles with 0.850" (21.59 mm) outside diameter, available in straight-bore and bottleneck\* styles
- Compatible with the TOUGH GUN Reamer when using the appropriate cutter blade

\*Standard duty consumables recommended for bottleneck style nozzles.

### TOUGH ACCESS SYSTEM PART NUMBERS

RETAINING HEADS		
PART NUMBER	DESCRIPTION	QTY
404-50-25	TOUGH ACCESS Retaining Head (heavy duty)	25
404-54-25	TOUGH ACCESS Retaining Head (standard duty)	25

GOOSENECK INSULATORS		
PART NUMBER	DESCRIPTION	QTY
402-17-25	TOUGH ACCESS Gooseneck Insulator	25

NOZZLES		
PART NUMBER	DESCRIPTION	QTY
401-54-62	Straight bore nozzle 5/8" bore, 1/8" recess	10
401-55-62	Straight bore nozzle 5/8" bore, flush	10
401-56-62	Straight bore nozzle 5/8" bore, 1/8" stick-out	10
401-57-62	Straight bore nozzle 5/8" bore, 1/4" stick-out	10
401-54-50	Bottleneck nozzle 1/2" bore, 1/8" recess	10
401-55-50	Bottleneck nozzle 1/2" bore, flush tip	10
401-56-50	Bottleneck nozzle 1/2" bore, 1/8" stick-out	10
401-57-50	Bottleneck nozzle 1/2" bore, 1/4" stick-out	10

NOTE: Reamer Cutter Blades and Mounting Arms for TOUGH ACCESS System also available.

#### WEBSITE QUICK LINK:

Tregaskiss.com/toughaccess



# LINERS

## QUICK LOAD™ LINERS

### SAVE TIME AND MONEY!

The QUICK LOAD Liner from Tregaskiss loads from the front of the MIG gun. It requires less than half the time and effort for replacement, when compared with conventional style liners.

Experience quick replacement, safe and easy maintenance. This innovative liner is available for semi-automatic applications in lengths of up to 25 feet, and up to 15 feet for robotic applications.



Semi-Automatic application



Robotic application

### FEATURES & BENEFITS

#### QUICK INSTALLATION AND EASY MAINTENANCE

- Two-piece system allows replacement to occur through the gooseneck of the MIG gun while it remains attached to the feeder
- No need to cut welding wire and waste money
- Remove front-end consumables and slide liner over the wire, using it as a guide
- Ease of installation allows for more regular and routine maintenance meaning less downtime

#### SEMI-AUTOMATIC APPLICATIONS

- Avoid having to remove MIG gun from wire feeder
- No need to climb up to change liners in MIG guns connected to booms
- Lengths up to 25 feet available

#### ROBOTIC APPLICATIONS

- Avoid hassle of climbing over tooling or transfer systems to remove MIG gun from wire feeder
- Change liner from a safe-zone within the work cell during routine pauses in production
- Lengths up to 15 feet available

### QUICK LOAD LINER PART NUMBERS

LINERS	WIRE SIZE	LENGTHS				DESCRIPTION	QTY
		6	10	15	25		
415-23-XXQ*	.023			x		HIGH CARBON STEEL - ROUND WOUND	1
415-30-XXQ*	.030	x		x		HIGH CARBON STEEL - ROUND WOUND	1
415-35-XXQ*	.035 - .045	x	x	x	x	HIGH CARBON STEEL - ROUND WOUND	1
415-116-XXQ*	.045 - 1/16	x	x	x	x	HIGH CARBON STEEL - ROUND WOUND	1
415-564-XXQ*	1/16 - 5/64	x		x	x	HIGH CARBON STEEL - ROUND WOUND	1
415-332-XXQ*	.078 - 3/32	x		x	x	HIGH CARBON STEEL - FLAT WOUND	1

#### LINER RETAINERS (SOLD SEPARATELY)

PART #	WIRE SIZE	DESCRIPTION	QTY
415-24	.078 - 3/32	QUICK LOAD LINER RETAINER FOR TREGASKISS GUNS	1
415-26	.030 - 1/16	QUICK LOAD LINER RETAINER FOR TREGASKISS GUNS	1
415-37	.030 - 1/16	QUICK LOAD LINER RETAINER FOR MOST TWECO GUNS	1

\*Replace XX with number(s) indicating available liner length at top of chart.

**WEBSITE QUICK LINK:**  
Tregaskiss.com/quickload

## CONVENTIONAL LINERS

Tregaskiss Liners for MIG welding guns are made of high carbon music wire for smooth wire feed and long life. Available in lengths up to 25' / 7.6 m for various wire sizes. Liners thread-in with no need for set screws.

### CONVENTIONAL LINER PART NUMBERS

LINERS	WIRE SIZE	LENGTHS						DESCRIPTION	QTY
		5	6	8	10	15	20		
<b>Conventional Liners for Steel / Stainless Steel Wire</b>									
415-23-XX*	.023					x		HIGH CARBON STEEL - ROUND WOUND	1
415-30-XX*	.03		x			x	x	HIGH CARBON STEEL - ROUND WOUND	1
415-35-XX*	.035 - .045		x		x	x	x	HIGH CARBON STEEL - ROUND WOUND	1
415-116-XX*	.045 - 1/16		x		x	x	x	HIGH CARBON STEEL - ROUND WOUND	1
415-564-XX*	1/16 - 5/64		x		x	x	x	HIGH CARBON STEEL - ROUND WOUND	1
415-332-XX*	.078 - 3/32		x			x	x	HIGH CARBON STEEL - FLAT WOUND	1
415-332-167	.078 - 3/32					x		HIGH CARBON STEEL - D WOUND	1
415-332-267	.078 - 3/32						x	HIGH CARBON STEEL - D WOUND	1

#### Conventional Polymer Liners for Aluminum Wire

415-45-01	0.035 - 3/64"		x					POLYMER LINER FOR ALUMINUM WIRE	1
415-45-02	0.035 - 3/64"				x			POLYMER LINER FOR ALUMINUM WIRE	1
415-45-03	0.035 - 3/64"					x		POLYMER LINER FOR ALUMINUM WIRE	1
415-45-04	0.035 - 3/64"						x	POLYMER LINER FOR ALUMINUM WIRE	1
415-116-21	3/64 - 1/16		x					POLYMER LINER FOR ALUMINUM WIRE	1
415-116-22	3/64 - 1/16				x			POLYMER LINER FOR ALUMINUM WIRE	1
415-116-23	3/64 - 1/16					x		POLYMER LINER FOR ALUMINUM WIRE	1
415-116-26	3/64 - 1/16						x	POLYMER LINER FOR ALUMINUM WIRE	1
415-25	.030 - 1/16							8" BRONZE JUMP LINER FOR USE WITH POLYMER LINERS FOR ALUMINUM WIRE	1
415-25-13	.030 - 1/16							13" BRONZE JUMP LINER FOR USE WITH POLYMER LINERS FOR ALUMINUM WIRE	1

#### Conventional Steel Wrapped Nylon Liners for Aluminum Wire

415-35-05	.030 - .035		x					STEEL WRAPPED NYLON FOR STAINLESS STEEL OR ALUMINUM WIRE	1
415-35-2	.035 - .045					x		STEEL WRAPPED NYLON FOR STAINLESS STEEL OR ALUMINUM WIRE	1
415-116-05	.045 - 1/16		x					STEEL WRAPPED NYLON FOR STAINLESS STEEL OR ALUMINUM WIRE	1
415-116-2	.045 - 1/16						x	STEEL WRAPPED NYLON FOR STAINLESS STEEL OR ALUMINUM WIRE	1

#### Conventional Specialty Plated Liners for Stainless Steel Wire

415-35-082	.035 - .045			x				GALVANIZED STEEL EXTENDED LIFE - 'D' WOUND	1
415-35-152	.035 - .045					x		GALVANIZED STEEL EXTENDED LIFE - 'D' WOUND	1
415-35-252	.035 - .045						x	GALVANIZED STEEL EXTENDED LIFE - 'D' WOUND	1

#### Jump Liners for Wire Brake

495-18-35	.035 - .045							26" JUMP LINER FOR WIRE BRAKE	1
495-18-116	.052 - 1/16							26" JUMP LINER FOR WIRE BRAKE	1

\*Replace XX with number(s) indicating available liner length at top of chart.

EXAMPLE: To order a 10' liner for .035 wire, the part number would be 415-35-10.

NOTE: The list above includes our most commonly used liners. If the liner you require is not in this list, please contact Tregaskiss Technical Service for information on additional specialty liners that we offer.

STANDARD ON ALL TREGASKISS MIG GUNS AS OF JULY 2011

Retainer

QUICK LOAD Liner

# FOR MORE INFORMATION

## TREGASKISS SEMI-AUTOMATIC CATALOG B500

This comprehensive catalog provides detailed information on the following:

- TOUGH GUN Semi-Automatic MIG Guns – Air and Water-Cooled Models
- TGX™ Semi-Automatic MIG Guns – Air-Cooled Models
- How to Pick the Right Tool for the Job – TOUGH GUN vs. TGX MIG Guns
- Configure your TOUGH GUN Semi-Automatic MIG Gun
- Technical Data



## TREGASKISS AUTOMATION CATALOG B300

This comprehensive catalog contains detailed information on the following Automation Products:

### ROBOTIC MIG GUNS:

- TOUGH GUN Robotic MIG Guns – Air-Cooled and Water-Cooled
- TOUGH GUN Automatic MIG Guns – Air-Cooled and Water-Cooled
- TOUGH GUN Auto Heads – Air-Cooled and Water-Cooled
- TOUGH GUN G2 Series
- TOUGH GUN ThruArm Series



### ROBOTIC PERIPHERALS:

- TOUGH GUN Mounting Arms, Solid Arm Mounts, and Insulating Discs
- TOUGH GUN LSR Unicables
- TOUGH GUN Clutch
- TOUGH GUN Gooseneck Checking Fixtures
- TOUGH GUN Reamer
- TOUGH GUN Wire Cutter
- TOUGH GUN Anti-Spatter Sprayer
- TOUGH GARD™ Spatter Cleaner
- TOUGH GARD™ Multi-Feed System and Anti-Spatter Solution

## ADDITIONAL RESOURCES

### TREGASKISS RETAIL GUIDE FOR DISTRIBUTORS B083

This handy reference guide for welding distributors contains information about Tregaskiss MIG Welding Products for your showroom and merchandising options.


• **NEW!** You can now watch us on YouTube at [www.tregaskiss.com/WatchUs](http://www.tregaskiss.com/WatchUs) where you can quickly access videos and animations

### FUSION Online

This electronic publication features an assortment of valuable welding and business management information, along with fun interactive polls, trivia, contests and more! Sign up for your free subscription at [www.tregaskiss.com/FUSION](http://www.tregaskiss.com/FUSION)


### Tech Connection Product News

Your connection to valuable Tregaskiss product improvements and new product information is now published online at [www.tregaskiss.com/TechConnection](http://www.tregaskiss.com/TechConnection)



## TREGASKISS COMMON CONSUMABLE PLATFORM REFERENCE CHART

This chart provides technical and compatibility information for our most popular nozzles, retaining heads and contact tips. If the consumable you require is not in this chart, you can learn about additional welding consumable options by contacting Tregaskiss Technical Service by email at [techservices@tregaskiss.com](mailto:techservices@tregaskiss.com) or by phone at 1-877-737-3111.



Tregaskiss is an industry leader in the development and manufacture of quality MIG welding guns, peripherals and consumables for high-volume production facilities.

Vision, commitment, and a team approach are pivotal to the success that Tregaskiss has enjoyed with its line-up of durable MIG welding products including TOUGH GUN™

Robotic and Semi-Automatic MIG Guns, TGX™ Semi-Automatic MIG Guns, TOUGH LOCK™ Contact Tip Systems, and TOUGH GARD™ Anti-Spatter. Built-to-order with precision and durability in mind, Tregaskiss™ products are the toughest available.

Through the strength of its people and their dedication to the highest level of products and service, Tregaskiss strives to remain its customers' #1 choice.



THE FREEDOM TO INNOVATE



Distributed by:

05/11 B400

Canada & U.S.A. Phone: 1-877-737-3111 Fax: 1-877-737-2111  
International Phone: +1-519-737-3000 Fax: +1-519-737-2111

[www.tregaskiss.com](http://www.tregaskiss.com)

TREGASKISS™, TOUGH GUN™, TOUGH LOCK™, and other names are trademarks of Tregaskiss, a division of Illinois Tool Works Inc.